

S

PICS-7.1 QUICK SCORE
THE HOSPITAL FOR SICK CHILDREN, DEPARTMENT OF PSYCHIATRY

©Copyright, The Hospital for Sick Children, Toronto, Canada 2017. For licensing inquiries, contact Industry Partnerships & Commercialization at The Hospital for Sick Children.

CHILD'S NAME:

DATE:

ADHD								
<i>INATTENTIVE</i>	OUT	IN SOL	IN COM	TV	HM	DINR	OTH	
1A. CARELESS								
1B. SUST ATTEN								
1C. NOT LISTEN								
1D. FOLLOW INST								
1E. DISORGANIZ								
1F. AVOID WORK								
1G. LOSES THINGS								
1H. DISTRACTED								
1I. FORGETFUL								
6/9								
<i>HYPERACTIVE IMPULSIVE</i>								
2A. FIDGETS								
2B. LEAVES SEAT								
2C. RUNS/CLIMBS								
2D. QUIET PLAY								
2E. MOTOR DRIVEN								
2F. TALKS								
2G. BLURTS								
2H. WAIT TURN								
2I. INTRUDES								

ODD	
1. TEMPER	
2. TOUCHY	
3. ANGRY/RESENT	
4. ARGUE	
5. DEFY	
6. ANNOY	
7. BLAME OTHERS	
8. SPITEFUL	
4/8	

CD	
1. BULLIES	
2. FIGHTS	
3. WEAPON	
4. CRUEL PEOPLE	
5. CRUEL ANIMALS	
6. MUGGING	
7. FORCED SEX	
8. FIRE SETTING	
9. VANDALISM	
10. B & E	
11. CONS/LIES	
12. STEAL SECRET	
13. STAY OUT	
14. RUNNING AWAY	
15. TRUANT	

IED	
A1. VER/PHY AGR	
A2. OUTBURSTS	
B. DISPROPOR	
C. NOT PREMED	
D. DIST – IMPAIR	
E. NO OTHER EXP	
A1 AND/OR A2 PLUS B, C, D, & E	

ACUTE TRAUMA DIS	
PTSD	
ADJUSTMENT DIS	

6/9

3/15

PERSIS DEP DIS	
A. DEPRESSED	
B1. APPETITE	
B2. SLEEP	
B3. ENERGY	
B4. SELF-ESTEEM	

SAD	
1. DISTRESS	
2. HARM	
3. EVENT	
4. SCHOOL REFUSAL	
5. CLINGING	
6. SLEEP	
7. NIGHTMARES	
8. PHYSICAL	
3/8	

GAD	
A. WORRY	
B. CONTROL ANX	
C1. ON EDGE	
C2. TIRED	
C3. CONCENTRA	
C4. IRRITABLE	
C5. TENSE	
C6. SLEEP	
D. SPEC MEN DIS	
E. DIST – IMPAIR	
F. SECONDARY	
A & B PLUS 1 OF C PLUS D, E & F	

PANIC	
SPECIFIC PHOBIA	

Social Anx Dis	
A. EXCESS FEAR OF SOCIAL SITUATIONS	
B. FEAR NEGATIVELY EVALUATED	
C&D. SOCIAL SIT AVOIDED	
E. ANXIETY OUT OF PROP TO SITUATION (Y/N)	
F. 6 MTHS+ (Y/N)	
G. DSTRSS&IMPR (Y/N)	
A, B, C&D, PLUS E, F, G	

OCD	
A1. OBSESSIONS	
A2. COMPULSIONS	
B. DIST – IMPAIR, NOT SECON MED OR MEN	
A1 AND/OR A2 PLUS B	
HOARDING	

PERSISTENT MOTOR TIC	
B5. CONCENTRA	
PERSISTENT VOCAL TIC	
B6. HOPELESSNESS	
C. DURATION 1+YR TOURETTE	
D. NO MDE PROVISIONAL TIC	
E. NO MANIC OR MIX	
F. NO PSYCHOSIS	
STEREOTYPE MOVE	
G. NOT SECON	
SLEEP PROBLEMS	
H. IMPAIR	
EATING PROBLEMS	
A	
PLUS 3 OF B	
PLUS C, D, E, F, G & H	
ENURESIS	
ENCOPRESIS	

MDD	
A1. DEP/IRR MOOD	
A2. ANEHDONIA	
B1. APP/WEIGHT	
B2. SLEEP DIST	
B3. AGITATION	
B4. LOSS ENRGY	
B5. WORTH/GUILT	
B6. CONCENTRA	
B7. SUICIDAL	
C. IMPAIR	
D. NOT SECON	
MDD MIXED	
A1 AND/OR A2 PLUS 3 OF B PLUS C & D	

DMDD	
A. TEMPER TANT	
B. INCONSIS AGE	
C. 3 TIMES/WK	
D. PERSIST IRRIT	
E. DURATION (Y/N)	
F. MULT SETTINGS (Y/N)	
G. AGE (Y/N)	
H. NO MDE/OTH (Y/N)	
A, B, C, D PLUS E, F,G, H	

MANIA	
HYPOMANIA	
CYCLOTHYMIC	
PSYCHOSIS	

ASD	
A3. RELATIONSHIPS	
A1. SOCIAL EMOTIONAL RECIPT	
A2. NONVERBAL COMM DEFICITS	
B1. STEREO/REPET MOTOR MOVEMENT	
B2. INSISTENCE ON SAMENESS	
B3. RESTRICTED INTERESTS	
B4. SENSORY PERC	
A3, A1, A2 PLUS AT LEAST TWO OF B	

Social Comm Dis	
A. SOCIAL COMMUN	
B. DIFF COMMUNIC, DIFF SETTINGS	
C. STORYTELLING + CONVERS RULES	
D. IMPLICIT LANG	

PICS RELIABILITY CODING (PLEASE CIRCLE ONE)

1. PICS administered in standard way and results are valid
2. PICS administered in standard way, but results are invalid
 - a. Informant unaware of child behaviour
 - b. Disagreement among informants re: behaviour
 - c. Systematic informant bias
 - d. Dramatic variability in child behaviour
 - e. Other _____
3. PICS administered in irregular way, but results are valid