

Medical Hospitalization Rates per 100 Children with Asthma in Ontario by LHIN

Local Health Integration Network	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	% Change
1. Erie St. Clair	4.24	3.63	3.45	3.56	3.20	3.28	3.36	3.20	3.27	3.13	3.34	-21.08%
2. South West	3.07	2.96	3.15	3.22	3.10	3.26	3.50	3.31	3.44	3.49	3.76	22.54%
3. Waterloo Wellington	3.93	3.40	3.48	3.39	3.27	3.64	3.65	3.53	3.82	3.44	3.25	-17.50%
4. Hamilton Niagara Haldimand Brant	3.49	3.17	3.24	3.60	3.58	3.69	3.58	3.52	3.92	4.09	4.02	14.93%
5. Central West	4.12	3.88	3.76	3.73	3.40	3.50	3.43	3.27	3.69	3.29	3.19	-22.49%
6. Mississauga Halton	3.18	2.96	2.77	3.14	2.77	2.78	2.60	2.57	2.90	2.65	2.32	-27.02%
7. Toronto Central	2.79	2.76	2.66	2.73	2.78	2.75	2.80	2.85	2.84	2.73	2.48	-11.22%
8. Central	2.66	2.51	2.50	2.74	2.40	2.56	2.45	2.56	2.70	2.44	2.27	-14.50%
9. Central East	3.04	2.99	2.77	3.05	2.78	3.13	3.06	3.18	3.49	3.31	3.03	-0.41%
10. South East	3.12	2.97	3.18	3.07	3.20	3.39	3.68	3.28	3.81	3.89	3.53	13.25%
11. Champlain	2.69	2.39	2.51	2.56	2.48	2.45	2.35	2.53	2.86	2.50	2.40	-10.62%
12. North Simcoe Muskoka	3.76	3.05	2.99	3.36	3.10	3.23	2.96	3.27	3.63	3.82	3.15	-16.13%
13. North East	4.21	4.06	4.07	4.01	3.98	4.23	4.54	4.57	5.16	4.98	4.81	14.06%
14. North West	6.26	5.47	5.42	5.98	4.96	5.61	5.72	4.95	6.27	6.52	6.21	-0.82%
All Ontario	3.32	3.08	3.04	3.21	2.99	3.14	3.10	3.09	3.37	3.20	3.03	-8.77%

Note: Percent (%) change is calculated from 2006 to 2016.

Source: This table uses statistics reported by the Ontario Asthma Surveillance Information System (OASIS) and data provided by ICES, Ontario.